

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129	((decrypt\$2 or decrypting) near3 (program or file)) and ((first and second) near key)	USPAT	OR	OFF	2004/12/10 09:58
L2	104	((decrypt\$2 or decrypting) near3 (program or file)) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:01
L3	2	((decrypt\$2 or decrypting) near3 (program or file) near3 (decoder or decompression)) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:00
L4	90	((decrypt\$2 or decrypting) near3 (program or file)) same key) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:02
L5	4	((decrypt\$2 or decrypting) near3 (program or file)) same (decoder or decompression) same key) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:16
L6	66	((decrypt\$2 or decrypting) and (program or file)) and ((decoder or decompression) same key) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:16
L7	7	(decrypt\$2 or decrypting) same ((program or file) same (decoder or decompression) same key) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:17
L8	28	(decrypt\$2 or decrypting) and ((program or file) with (decoder or decompression)) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:22
L9	5	(decrypt\$2 or decrypting) and ((program or file) with (decompression)) and ((first and second) near key) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:24
L10	166	((decrypted or decrypting or decrypt\$1) near3 (decoder or decompression)) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:25
L11	30	((decrypted or decrypting or decrypt\$1) near3 (decompression)) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:26

L12	8	((decrypted or decrypting or decrypt\$1) near3 (decompression)) and ((transmi\$ or send\$3 or sent) near3 decompression) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:30
L13	2	((decrypted or decrypting or decrypt\$1) near3 (decompression)) and (((first and second) or two) near key\$1) and @ad<"19990404"	USPAT	OR	OFF	2004/12/10 10:35
L14	4	"5694516"	USPAT	OR	OFF	2004/12/10 10:36
L15	2	"5694516" and (decoder or decompression)	USPAT	OR	OFF	2004/12/10 10:37
L16	3	"5670730" and (decoder or decompression) and decrypt\$	USPAT	OR	OFF	2004/12/10 10:41
L17	0	"5696928" and (decoder or decompression) and decrypt\$	USPAT	OR	OFF	2004/12/10 10:41
L18	0	"5680504" and (decoder or decompression) and decrypt\$	USPAT	OR	OFF	2004/12/10 10:41
L19	2	"5914941" and (decoder or decompression) and decrypt\$	USPAT	OR	OFF	2004/12/10 10:44
L20	0	"5822284" and (decoder or decompression) and decrypt\$	USPAT	OR	OFF	2004/12/10 10:45
L21	2	decrypt\$ near3 ((eplay or play) near (program or file))	USPAT	OR	OFF	2004/12/10 10:46